This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) Composite A composite material having an optical effect [[-]] comprising

at least one moulding which essentially consists essentially of core/shell particles whose shell forms a matrix and whose core is essentially solid and has an essentially monodisperse size distribution, where a difference exists between the refractive indices of the core material and of the shell material, wherein the shell in the core/shell particles is connected to the core via an interlayer, and

at least one further material which determines the mechanical properties of the composite.

- 2. (Cancelled)
- 3. (Currently Amended) Composite A composite material according to Claim 1, eharacterised in that wherein at least one contrast material is included in the at least one moulding which essentially consists of core/shell particles, where the at least one contrast material is a pigment, preferably an absorption pigment and particularly preferably a black pigment.
- 4. (Currently Amended) Composite A composite material according to Claim 1, eharacterised in that wherein the core/shell particles have a mean particle diameter of in the range from about 5 nm to about 2000 nm, preferably in the range from about 5 to 20 nm or in the range 50 500 nm.
- 5. (Currently Amended) Composite A composite material according to Claim 1, eharacterised in that wherein the difference between the refractive indices of the core material and shell material is at least 0.001, preferably at least 0.01 and particularly preferably at least 0.1.

- 6. (Currently Amended) Composite A composite material according to Claim 1, characterised in that wherein the at least one moulding which essentially consists of core/shell particles is in the form of a layer.
- 7. (Currently Amended) Composite A composite material according to Claim 1, eharacterised in that wherein the at least one further material which determines the mechanical properties of the composite essentially consists of polymers, preferably thermoplastic polymers.
- 8. (Currently Amended) Composite A composite material according to Claim 1, characterised in that which the arrangement is in the form of a laminate, and the at least one further material which determines the mechanical properties of the composite can be processed at temperatures is processable at a temperature below 200°C.
- 9. (Currently Amended) Composite A composite material according Claim 1, eharacterised in that wherein the at least one further material which determines the mechanical properties of the composite essentially consists of rubber polymers.
- 10. (Currently Amended) Process for the production of A process for preparing a composite material materials having an optical effect according to claim 1, characterised in that comprising connecting the at least one moulding which essentially consists of core/shell particles whose shell forms a matrix and whose core is essentially solid and has an essentially monodisperse size distribution, where a difference exists between the refractive indices of the core material and of the shell material, is strongly connected to the at least one further material which determines the mechanical properties of the composite.
- 11. (Currently Amended) Process for the production of composite materials A process for preparing a composite material according to Claim 10, characterised in that the strong connection is effected wherein the connecting is achieved by the action of mechanical force and/or heating.

- 12. (Currently Amended) Process for the production of composite materials A process for preparing a composite material according Claim 10, wherein the connecting is achieved 1, characterised in that the strong connection is effected by uniaxial pressing.
- 13. (Currently Amended) Process for the production of composite materials A process for preparing a composite material according to Claim 10, wherein the connecting is achieved 1, characterised in that the strong connection is effected by casting-in or back moulding.
- 14. (Currently Amended) Process for the production of composite materials A process for preparing a composite material according to Claim 10, wherein the connecting is 1, characterised in that the strong connection is effected 1, characterised in that the strong connection is processed further processed by thermoforming, in particular or deep drawing.
- 15. (Currently Amended) Process for the production of composite materials A process for preparing a composite material according to Claim 10, wherein the connecting is achieved 1, characterised in that the strong connection is effected by coextrusion.
- 16. (New) A composite material according to Claim 3, wherein the pigment is an absorption pigment.
- 17. (New) A composite material according to Claim 3, wherein the pigment is a black pigment.
- 18. (New) A composite material according to Claim 1, wherein the core/shell particles have a mean particle diameter of about 5 to 20 nm or about 50 to 500 nm.
- 19. (New) A composite material according to Claim 1, wherein the difference between the refractive indices of the core material and shell material is at least 0.01.
 - 20. (New) A composite material according to Claim 1, wherein the difference

between the refractive indices of the core material and shell material is at least 0.1.

21. (New) A composite material according to Claim 1, wherein the at least one further material which determines the mechanical properties of the composite essentially consists of thermoplastic polymers.